New Zealand Department of Agriculture,
Industries, and Commerce.

THE

JOURNAL

OF

AGRICULTURE.

Published by direction of the
Right Hon. W. F. MASSEY, P.C., Minister of Agriculture
and of Industries and Commerce.

VOL. X.

(JANUARY–JUNE, 1915.)

WELLINGTON.
BY AUTHORITY: JOHN MACKAY, GOVERNMENT PRINTER.

1915.

JOURNAL

OF

AGRICULTURE.

VOLUME X.

(January–June, 1915.)

GENERAL INDEX.

A.

Acacia, 395.
Ageratums, 184.
Agriculture—
  Abroad, 488.
  Catechism of practical, 59, 155, 260, 367, 465, 557.
  Constructive: economic promotion of soil-fertility, 208.
  International Institute of, 489.
Agrostis minutiflora, 14.
Ailments of sheep, 460.
All-steel silo at Moumahaki, 9.
Answers to correspondents, 83, 187, 289, 391, 458, 577.
Apiary, the (monthly notes), 73, 177, 277, 382, 479, 568.
Apiculture—
  Equipment, 178.
  Extracting, 177.
  Improved-quality honey, 382.
  Introducing queen-cells to colonies with a laying queen, 74.
  Management of colonies during the honey-flow, 73.
  Queen-excluders, 73.
  Robber-bees, 278.
  Swarms, 278.
  Unmated queens, 74.
  Wintering, 277.
Apple—
  Culture of, 396.
  Export trade, 81.
  The Jonathan, 332.
  Varieties, 583.
Apples in cold store at New York, 288.
Argentine—
  Horses in London, 58.
  Wheat-exportation from, 448.
Artichokes, 187.
Ashes of hedge-trimmings a source of potash, 360.
Asiatic star-thistle seed, 443.
Asparagus, 75, 385, 482.
Auckland Exhibition grass-plots, 12.
Autumn sowing of lucerne, 105.
Awnless brome-grass, 13.
Ayrshires with certificate of record, 539.

B.

Bacon and ham markets, British, 81.
Basic superphosphate, 90.
Bee-culture, 293 (see also Apiculture).
Beekeepers and the Belgian Fund, 90.
Beekeeping, 463 (see also Apiculture).
Bees—
  Dying, 290.
  Robbing, 278.
  Safe wintering, 277.
Berkshire pigs at Moumahaki and Ruakura, 231.
Black aphis, 578.
Blackberries, their control and eradication, 10.
Blackberry-pest, the, 110, 395.
Black-spot or scab, 166.
Black-wattle, transplanting, 462.
Blight—
  Of peach-tree, 87.
  On strawberries, 89.
"Blown" cows, 88.
Blue-tussock, 13.
Bones, cows chewing, 290.
Bordeaux mixture, 188.
Bots in horses, 289.
Boyd's clover, 19.

Breeding-ewes, forage for, 582.
Brine solution for milking-machines, 54.
British bacon and ham markets, 81.
Broad beans, 282.
Bromus Schraderi, 14.
Brown Swiss cattle, 20.
Bulbs, 77, 284.
Bulls for dairy purposes, 227, 361.
Butter—
  And eggs from San Francisco, 576.
  Californian market, 576.
  New Zealand, in Oregon, 288.
Butter-fat record, the world's, 542.
Buttermaking, 293.

C.

Cabbages, 281, 482, 569.
Calf-rearing, 577.
  At Ruakura, 231.
Californian—
  Butter-market, 576.
  Table-poultry market, 478.
Californian thistle, 417.
  Description of seed, 547.
  Eradication, 461.
  Eradication with goats, 290.
Canada, wheat-growing in, 390.
Canadian—
  Import requirements, 82.
  Tariff amendments, 390.
  Thistle, inoculation of, with rust blight, 461.
Canary-grass, 13.
Carnation cuttings, 183.
Carnations, 78.
Carrots, 483.
  Growing of, 189.
Catechism of practical agriculture, 59, 155, 260, 367, 465, 557.
Cattle, a lick for, 87.
Cattle-breeders' association in Denmark, 128.
Cattle-proof hedge, 190.
Cauliflowers, 280, 482, 570.
Celery, 181, 483.
Certificates in spraying and pruning, 41.
Champion cow, world's, 128.
Cherry-disease, 86.
Chewing's fescue, 18.
Chou moellier as drought-resister, 9.
Chrysanthemums, 184, 284.
Clay lands, treatment of, for fruit-culture, 236.
Clover—
  A new variety, 417.
  For silage, 226.
Clovers—
  Boyd's clover, 19.
  Lotus angustissimus, 19.
  Lotus corniculatus, 19.
  Lotus major, 19.
  Lucerne, 18.
  Webb's Giant white clover, 18.
  White lodino, 18, 432.
Cocksfoot, 16.
Codlin-moth, 164.
Colds in poultry, 478.
Commercial intelligence, 81, 186, 286, 390, 576.
Common sowthistle: description of seed, 552.
Constructive agriculture, 208.
Control and utilization of sand areas, 203.
Co-operative field trials of lucerne in South Island, 251.
Cow—
  Affected with disease, 579.
  Trouble with a, 578.
Cow-grass and lucerne seed, 464.
Cows—
  Bloating on lucerne, 414.
  Chewing bones, 290.
  Fodder crops for, 85.
  Gestation of, 88.
  Treatment for blown, 88.
Cow-testing—
  Association (Ferndale), 509.
  Its value recognized, 147.
  Value of, 126.
Crawshaw, Captain Mervyn, 80.
Crested dogstail, 17.
Crops for silage, 222.
Cultivation—
  Of orchard, 163.
  Of tomato under glass, 151.
Cuming, C. E., resignation of, 418.
Currants, 573.
  Red and white, 182.

D.

Dairy bulls, 227, 361.
Dairy cows—
  Green feed for, 463.
  Maize as green feed for, 392.
  Our C.O.R. purebred stock, 445.
Dairying in Switzerland, 20, 140, 242.
Danthonia pilosa, 320.
Dehorning milking-cows, 580.
Delays in unloading produce at port of London, 186.
Disease—
  Affecting potatoes, 190.
  Of cherry, 86.
  Of citrus fruit, introduction of, into U.S.A., 58.
  Of oak-tree, 86.
Ditching by machinery, 55.
Docks, description of seeds, 101.
Dodder-seed, 441.
Dominion's exports to Britain, 91, 192, 295, 397, 491, 585.
Dougherty apple, 451.
Drainage: ditching by machinery, 55.
Dry farming at Ruakura, 335.
Duck-feeding, 460.
Ducklings, trouble with, 291.

E.

Ear trouble of stock, 462.
Egg-laying competitions, 536.
Egg-production at Ruakura, 19.
Eggs—
  And butter from San Francisco, 576.
  Size of, decreasing, 69.
English-trefoil seed, 440.
Ensilage: improved form of the all-steel silo, 148.
Eradication—
  Of blackberries, 10.
  Of fern, 190.
Eragrostis (Poa) Brownii, 16.
Establishing and managing permanent pasture, 29.
European methods of potato-culture, 488.
Exhibition grass-plots, Auckland, 12.
Experiments on soils, 410.
Export—
  Of fruit, 44.
  Of honey, 240.
  Of stock, 94, 195, 298, 400, 494, 588.
Exports of the Dominion to Britain, 91, 192, 294, 397, 491, 585.
Extracting honey, 177.

F.

Failure of peach crop, 293.
Farm, the, monthly notes on the work of, 63, 159, 264, 370, 468, 560.
Fats in food, 158.
Feeding of sheep-dogs, 429.
Fencing, 530.
Fern, eradication of, 190.
Field sowthistle: description of seed, 554.
Fiorin, 14.
Flax-grub, the, 1.
Flies: borax to prevent breeding, 152.
Flocks, purebred: position of the different breeds in New Zealand, 26.
Flower-culture, 77, 183, 284, 386, 484, 574.
Fodder crops, 84, 190.
  For cows, 85.
Food, fats in, 158.
Foot-rot in sheep, 459.
Forage crops—
  Mustard, 33.
  For breeding-ewes, 582.
Foundation-making, 460.
French beans, 76.
Fruit—
  Experiment in grafting plum on peach tree, 545.
  Export of, 44.
  Good example for industry from Nelson Province, 129.
  Harvesting the crop, 47.
  Imports into New Zealand, 196.
  Packing and grading certificates, 545.
Fruit-culture: the treatment of clay lands, 236.
Fruit-fly, the, 456.
Fruitgrowing, 583.
  In the Motueka district, 19.
Fruit-trees, interpollination of, 232, 333.

G.

Garden, the, monthly notes on the work of, 75, 180, 279, 383, 480, 569.
Geraniums, 184.
Gestation of cows, 88.
Giant prune, the, 85.
Gilbey, Sir Walter, Bart., 53.
Glasshouse-construction, 426.
Goats as Californian-thistle eradicators, 290.
Gooseberries, 77, 573.
Gooseberry-bushes, 183.
Goose-grass seed, 214.
Grading fruit—
  Certificates in, 545.
  For export, 431.
Grading returns, hemp and tow, 92, 193, 296, 398, 492, 586.
Grafting: overgrafting, 422.
Grain in America, 451.
Grape-vines under glass, 188.
Grass for cricket-ground, 191.
Grasses—
  Native, 7.
  Of recognized first-class value, 16.
  Of secondary pasture value but having a certain use, 14.
  Of value in certain situations but dangerous to use indiscriminately and without knowledge of their habits, 13.
  Useless under almost any condition 13.
Grass-grub at Ruakura, 537.
Grassing—
  Bush land, 324.
  Rough places, 320.
Grass-plots, Auckland Exhibition, 12.
Grass-seed outlook, 284.
Grazing lucerne, 342.
Green feed—
  For dairy cows, 463.
  Maize for dairy cows, 392.
Green-manuring, 118, 420.
  At Ruakura, 263.
  Experiment at Ruakura, 542.
Grow more wheat, 259.
Grub: the flax-grub, 1.
Gum-trees, 394.

H.

Hair-disease of horse, 395.
Hair-grass, 214.
Ham and bacon markets, British, 81.
Hard fescue, 18.

Hares in orchard, 290.
Harvesting the fruit crop, 47.
Hawthorn-growing, 394.
Hedge, cattle-proof, 190.
Hedges, 189, 525.
Hemp—
  And tow grading returns, 92, 193, 296, 398, 492, 586.
  Industry, the, 79, 185, 285, 387, 487.
Hides, tanning, 580.
Hill, W. S., resignation of, 239.
Hoary cress, 415.
Holstein—
  Bulls, 228, 361.
  Cow establishes new milk-record, 128.
Honey—
  Colonial exhibit at Grocery Exhibition, Royal Agricultural Hall, London, 576.
  For export: storing and grading arrangements, 240.
  Granulation of, 86.
  Preparing, for market, 526.
Hoofs cracked, 394.
Hoof-trouble of cow, 396.
Hop-growing in Motueka district, 19.
Horse—
  Ailment of, 581, 582.
  Trouble with a, 579.
Horse-flesh in Germany, 58.
Horses—
  Engaged in the war, 31.
  For military purposes, 401.
  For military purposes from U.S.A., 537.
House-fly: borax to prevent breeding, 152.

I.

Identification of seeds, 95, 214, 337, 438, 547.
Import requirements, Canadian, 82.
Insect pests of orchard, 473.
International Institute of Agriculture, 489.
Interpollination of fruit-trees, 232, 333.
Iresines, 184.
Irish yew and Irish juniper, 459.
Irrigation in New South Wales, 520.
Italian rye-grass, 16.

J.

Jersey bulls, 229, 363.
Jerusalem artichokes, 483.
Jonathan apple, 332.

K.

Kentucky blue-grass, 18.
Keeled brome-grass, 13.

L.

Land campaign, the, 263.
Lane's Prince Albert apple, 450.
Lawes and Gilbert Commemoration Laboratory, 449.
Lawns, 283.
Laying out an orchard, 187.
Laying-hens, trouble with, 392.
Leech, 166.
Leeks, 181.
Lettuce, 182, 281, 482, 571.
Lice—
  Infesting stock, 289.
  On pigs, 87.
Lick for cattle, 87.
Lime: applying burnt lime, 577.
Lime-sulphur spray, 86.
Linseed-oil cake, 116.
Lodino white clover, 18.
Loganberries, 77, 183.
  Culture of, 188.
London—
  Delays in unloading produce at port of, 186.
  Market values, 584.
Lotus angustissimus, 19.
Lotus corniculatus, 19.
Lotus major, 19.
  And yarrow-seed, 84.
Lucerne, 18, 393, 458, 512, 578.
  Autumn sowing of, 105.
  As drought-resister, 9, 105.
  At Moumahaki, 152, 226.
  At Tauranga, 359.
  Co-operative field trials in South Island, 251.
  Cows bloating on, 414.
  Experience, 430.
  For silage, 226.
  Grazing of, 342.
  Its value during a dry season, 106.
  Its value to the poultry-keeper, 175.
  Some Ruakura experience, 221.
  Strengthening a field of, 413.
Lucerne-hay, shed for, 580.
Lucerne-seed, 438, 464.
Lysol for scour, 464.

M.

McConnell, Primrose, resignation of, 284.
Machinery for ditching, 55.
Maggot-fly, the, 83.
Maize—
  As green feed for dairy cows, 392.
  For silage, 225.
  Harvesting of, for silage, 330.
Mammitis affecting milking-heifer, 291.
Management of permanent pasture, 29.
Mangel crop at Ruakura, 345, 542.
Manures, manufacture of, 463.
Market values, London, 584.

Marketing of fruit: requirements of the English trade, 43.
Marton plots, 518.
Meadow-rice-grass, 13.
Meadow-fescue, 18.
Meadow-foxtail, 17, 341.
Meat: world's supply and demand, 286.
Mediterranean-rocket seed, 443.
Melilotus alba (sweet clover), 423.
Mildew on roses, 86.
Military horses, 401.
Milking-cows, dehorning, 580.
Milking-machines, brine solution for, 54.
Milk-record, world's, 128.
Millets for silage, 225.
Motor for agricultural purposes, 579.
Motor-plough, 138.
Moumahaki lucerne, 152.
Movable pens for rearing pigs in, 488.
Mustard, 32.

N.

Native grasses, 7.
Navy, supplies for, 186.
Nectarines, 511.
Nelson Province, fruitgrowing in, 129.
New South Wales, irrigation in, 520.
New variety of wheat, 9.
New Zealand trade with San Francisco and Vancouver, 93, 194, 297, 399, 493, 587.
Nipplewort: description of seed, 554.

O.

Oak-tree, disease of, 86.
Oat—
  And wheat crops at Weraroa, 110.
  Variety trials, 437.
Oil cake, linseed, 116.
Onion-culture, 189, 462.
Onions, 76, 281, 572.
Ontario Agricultural College: assistance to students by Massey Estate, 9.
Orchard—
  Land, 463.
  Laying out an, 187.
  Monthly notes on the work of the, 65, 163, 267, 373, 471, 563.
  Pruning, 452.
  The farmer's, 321.
  Trouble with hares in, 290.
Overgrafting, 422.

P.

Pacific brome-grass, 13.
Packing and marketing of fruit: requirements of the English trade, 43.
Packing fruit, certificates in, 545.
Panama Pacific Exposition, New Zealand at, 294, 490.
Parsnips, 483.
Paspalum digitaria, 15.
Paspalum dilatatum, 17, 355.
Paspalum distichum, 15.
Passion-fruit culture, 191.
Pastures—
  Establishment and management of the permanent pasture, 29.
  Renovating old, 391.
Peach crop, failure of, 293.
Peach-spraying, 472.
Peach-tree—
  Blight of, 87.
  Pruning, 376.
Pear-cultivation, 89.
Pear-stock *v.* quince-stock, 111.
Peas, 483.
Peculiar development of potato, 358.
Pennyroyal, 416.
Penstemons, 184.
Perennial rye-grass, 16.
Phalaris arundinacea, 15.
Phalaris bulbosa, 15.
Phosphate rock in New Zealand, 495.
Picking and grading fruit for export, 431.
Pigs—
  Lice affecting, 87.
  Rearing in movable pens, 488.
Pinus insignis, 395.
Pinus muricata, 83.
Plantation, trees suitable for, 85.
Plants, replacement of, 434.
Poa compressa, 15.
Poa nemoralis, 17.
Poa pratensis, 18.
Poa trivialis, 17.
Poisoning—
  Crickets, rabbits, and house-flies, 459.
  Of stock by rangiora, 207.
Potash—
  Ashes of hedge-trimmings a source of, 360.
  Waste of, 449.
Potato—
  Historical sketch of, 357.
  Peculiar development of, 358.
Potato-culture: European methods, 488.
Potato-disease, 190, 292.
  Dangerous, 325.
Potatoes—
  For seed, 583.
  On test at Ruakura, 54.
Potato-growing, 88, 292.
Poultry—
  An incubation trouble, 70.
  Californian market for table-birds, 478.
  Cheapening the food-supply, 72.
  Colds, 478.
  Corns, 71.
  Culling, 173, 270.
  Size of eggs decreasing, 69.
  The pullet, 68.
  Worms, 477.
Poultry-keeping and lucerne, 175.

Poultry-yard, the, monthly notes on, 68, 170, 270, 378, 475, 567.
Prairie-grass, 313.
And Western Wolths, 8.
At Ruakura, 226.
"Moumahaki No. 6" at Ruakura, 318.
Seed, 335.
Prickly sowthistle: description of seed, 554.
Pruning—
Fruit-trees, 564.
Roses, 574.
Summer pruning, 164.
The orchard, 452.
The peach, 376.
Purebred flocks: position of the different breeds in New Zealand, 26.

Q.

Quarantine stock in, 94, 195, 298, 400, 494, 588.
Queen, the, taking from the hive, 460.
Quince-stock *v.* pear-stock, 111.

R.

Raddle for marking sheep, 191.
Rainfall in 1914, 153.
Rangiora, poisoning of stock by, 207.
Rape-seed, 538.
Dear seed, 259.
Raspberries, 77.
Red-birch, 90.
Red fescue, 18.
Red mite, 166.
Refuse of sodium silicate and calcium carbide, 396.
Renovating old pastures, 391.
Replacement of plants, 434.
Rhizoctonia violacea described, 325.
Rhodes-grass, 13.
Rhubarb, 182.
Rhubarb-growing, 87.
Ruakura—
Egg-production, 19.
Mangel crop, 345.
Tests of new wheats, 347.
Rust blight: inoculation of Californian thistle, 461.
Rock phosphate in New Zealand, 495.
Rose-mildew, 86.
Roses, 386, 574.

S.

St. John's wort, 415.
Sand control and utilization, 203.
San Francisco—
Butter and eggs from, 576.
New Zealand trade with, 93, 194, 297, 399, 493, 587.
Scour, Lysol for, 464.
Scum of honey, analysis of, 569.
Scutcher, automatic, 285.
Seakale, 75, 385, 482.
Seed-growers' Association, benefits to be derived from, 207.
Seed-potatoes, 583.
Seed-testing—
By American country schools, 342.
Its value to farmers, 444.
Seeds and their identification, 95, 214, 337, 438, 547.
Semi-official testing, 49, 119, 539.
Shed for lucerne-hay, 580.
Sheep—
Affected with disease, 394.
Book on, 581.
Sheep-dogs, feeding of, 429.
Shelter, 312.
Shorthorn bull "Earl of Kingston," 58.
Show dates, 48, 196, 298, 345, 490, 588.
Silage, 118, 152, 461.
Crops for, 222.
Harvesting maize for, 330.
Its advantages demonstrated, 154.
Silo, the improved all-steel, 148.
Silver-beet, 75, 396, 556.
Comparative palatability tests of five varieties, 319.
Silver-blight, 87.
Slugs, 578.
Small fruit, 76, 182, 386, 573.
Soil-fertility, economic promotion of, 208.
Soiling, a valuable crop for, 150.
Soil-treatment, 410.
Sorghum for silage, 225.
Sorrel—
Eradication, 86.
Seed-identification, 100.
Sowing and treatment of the temporary pasture, 31.
Soya beans, 418.
Spear-thistle: description of seed, 550.
Spiderwort (*Leycesteria formosa*), 532.
Spinach, 76, 182.
Spraying, 164, 374.
A practical talk on, 510.
Whale-oil soap, 166.
Spraying-compounds, tests of, 35.
Spraying-outfit, 187.
Stock—
Exported, 94, 195, 298, 400, 494, 588.
In quarantine, 94, 195, 298, 400, 494, 588.
Infested with lice, 289.
Poisoning of, by rangiora, 207.
Strangles, 460.
Strawberries, 76, 183, 386.
Blight affecting, 89.
Strengthening a lucerne-field, 413.
Subdivision of farm into smaller paddocks, advantage of, 28.
Sulphur—
For tomatoes, 90.
Its effect on plant-growth, 62.
Summer pruning, 164.
Supplies for the Navy, 186.

Suttie and Wynyard automatic scutcher, 285.
Sweet clover (*Melilotus alba*), 423.
Sweet-peas, 183.
Sweet vernal, 337.
Switzerland, dairying in, 20, 140, 242.

T.

Tall fescue, 13, 462.
Tall oat-grass, 15.
Tanning hides, 580.
Tares, 577.
  At Weraroa, 258.
Tariff amendments, Canadian, 390.
Tauranga, lucerne experience at, 359.
Testing dairy herds (semi-official), 49, 119, 539.
Tests of spraying-compounds, 35.
Timothy, 17.
Tomato-cultivation under glass, 151.
Tomatoes, 75, 282, 294.
  Sulphur for, 90.
  Two new varieties, 454.
Tow: hemp and tow grading returns, 92, 193, 296, 398, 492, 586.
Trade: New Zealand with San Francisco and Vancouver, 93, 194, 297, 399, 493, 587.
Treatment for old horse, 395.
Trees suitable for plantation, 85.
Trial of oat varieties, 437.
Turnip-pests, an insecticide for, 291.
Turnips, 281.
Tutu poisoning, 88.

V.

Vancouver—
  New Zealand - Vancouver trade, 93, 194, 297, 399, 493, 587.
  Wheat shipments from, 186.
Value of cow-testing, 126.
Various-leaved fescue, 16, 18.
Vegetable-culture, 75, 180, 279, 383, 480, 569.
Vineyard and vinehouse, the, 67, 167.

W.

Wakeman's fescue, 18.
Washing-soda for destroying scale, &c., 464.
Waste of potash, 449.
Water-pipes, protecting, from frost, 393.
Webb's Giant white clover, 18.
Weeds, 546.
  Two that are little understood, 415.
West Canadian markets, 288.
Western Wolths—
  And prairie-grass, 8.
  Grass, 16.
Whale-oil soap, 166.
What is it that your soil lacks, 410.
Wheat—
  Board of Agriculture recommends the extended growing of, 259.
  New varieties of, 9.
  World's supply, the, 287.
Wheat-growing, 197, 299, 580.
  In Canada, 390.
Wheat-production in U.S.A., 195.
Wheat-shipments from Vancouver, 186.
Wheats—
  Introduced by the Department, 249.
  Results of Ruakura tests of new varieties, 347.
Wheat-supply, the, 56.
Wheat-weevil, the, 292.
Whey butter, 582.
White lodino clover, 432.
Windgalls in horses, 294.
Winged thistle: description of seed, 550.
Wireworms, 458.
Woolly aphis, 166.
Work for the month, 63, 159, 264, 370, 468, 560.
World-record cow, 360.
World's—
  Butter-fat record, 542.
  Champion cow, 128.
  Meat supply and demand, 286.
  Wheat-supply, 287.
Worms—
  Affecting poultry, 477.
  In horses, 581.

Y.

Yarrow and lotus-major seed, 84.
Yellow oat-grass, 13.
Yellow-wattle (*Mimosa*), 395.
Yorkshire fog, 16.
  Seed of, 337.



Digitized by the Internet Archive
in 2025

https://archive.org/details/new-zealand-journal-of-agriculture_1915_10_indexcontents

ILLUSTRATIONS.

Page

Sir James G. Wilson, K.B., President of the Board of Agriculture: Frontispiece.
The Flax-grub—
Injury of the Leaf-surface caused by *Xanthorhoe* 3
Portion of Leaf, showing the Injury caused by *Xanthorhoe* 4
Larvæ of *Xanthorhoe praefectata* 5, 6
Moths of *Xanthorhoe praefectata* 7
Goats feeding on Blackberry 11
Dairying in Switzerland—
A Brown Swiss Bull 22
A Brown Swiss Cow 23
Milk-portage in Switzerland 25
Mustard: Sixty-six Days' Growth in the Testing-plots 33
A Portion of a Line of Crossbred Wethers at the Weraroa Experimental Farm 42
How Woolly Aphis will possess a Tree if allowed to go unchecked 46
Semi-official Testing—
Mr. S. R. Lancaster's Bright Star II, Three-year-old Jersey .. 49
Mr. W. J. Hall's Hazeline, The Four-year-old Jersey 50
Mr. J. Pirie's Nellie Segis Wild Rose, The Two-year-old Holstein .. 50
Messrs. Cockburn Bros.' Kanadale Netherton Edna, the Two-year-old Ayrshire 51
The Ditching-machine successfully tested at Awatoitoi 55
The Waerenga Experimental Farm: An Example of the Utilization of Poor Gum Land. Frontispiece.
Triple Magnifier, with Diaphragm 97
Seeds and their Identification—
Sorrel (*Rumex acetosella*), devoid of Perianth 98
Sorrel (*Rumex acetosella*), Perianth attached 98
Curled Dock (*Rumex crispus*) 99
Broad-leaved Dock (*Rumex obtusifolius*) 99
Sorrel (*Rumex acetosella*) 100, 101
Curled Dock (*Rumex crispus*), showing Tubercle and Entire Edge .. 102
Broad-leaved Dock (*Rumex obtusifolius*), showing Tubercle and Toothed Edge 102
Curled Dock (*Rumex crispus*) 103
Broad-leaved Dock (*Rumex obtusifolius*) 103
Sections of Broad-leaved Dock, Curled-leaved Dock, and Sorrel .. 104
The Second Crop of Lucerne Hay from a Twenty-year-old Stand at Sunnyside Mental Hospital, Christchurch 107
One of the Fields of Lucerne on Mr. R. H. Smaile's Property, Marlborough, being saved for Seed 107
Baling Lucerne Hay on Messrs. Adams Bros.' Farm at Blenheim .. 107
Mr. Robert Allen, of Blenheim, in his Lucerne-seed Crop 108
A Plant of Thriving Lucerne on a Drought-stricken Marlborough Hill .. 109
Eight-year-old Directeur Hardy Pear-tree grafted on a Quince-stock 112, 113
Eight-year-old Directeur Hardy Pear-tree grafted on a Pear-stock .. 114
Semi-official Testing—
Duchess of Delhurst, the Best Three-year-old Holstein 119
The Best Three-year-old Jersey, Lady of Collingwood 123
The Best Jersey in the Four-year-old Class, Charm 123
The Leader in the Mature Ayrshire Class, Fancy IV of Cambridge .. 124
Miss Russell, The Leader in the Two-year-old Ayrshire Class 125
The World's Champion Milk-producing Cow, Tilly Alcartra 127

	Page
The Fruit Industry in the Nelson Province—	
Moutere Land in its Original State	130
Same Country showing First-, Second-, and Third-year Trees, with the Department's Testing-acre in the Foreground	131
A Four-year-old Orchard	132
Spraying a Young Orchard by means of a Motor Sprayer	133
A Moutere Orchard in its Second Year after Clearing and Planting	135
Four-year-old Apricot-trees in a Moutere Orchard	137
The Wyles Motor-plough at Work on Heavy Land	139
The Fowler-Wyles Motor-plough on an Essex Fruit-farm	139
Dairying in Switzerland—	
A Swiss Chalet where Gruyere Cheese is manufactured	143
The Herd and Homestead of Mr. F. Marbach	146
Honey Power Extractor	178
The Shorthorn Herd of the Te Aute College, Hawke's Bay.	Frontispiece.
White Lupin on Sand	204
Seeds and their Identification—	
Seed showing Different Parts (Awn, &c.)	214
Goose-grass and Hair-grass	215
Back and Front View of Different Seeds	216
Partly shelled and partly deawned Seeds	219
Dairy Bulls—	
Sir de Kol Inka Pietertje	228
Nazli de Kol	229
Blizzard	230
K. C. B.	231
Dairying in Switzerland—	
The Main Building	243
The Milk-receiving Department	243
The Pasteurizing-room	245
Where the Milk is bottled	245
The Laboratory	247
Interior of Typical Cow-shed	247
Types of Poultry	275, 276
Orchard Land in the Motueka District, Nelson.	Frontispiece.
The Calf-pens at the Weraroa Experimental Farm	311
Prairie-grass—	
Smut-affected and Unaffected Heads	314
In the Testing-plots at Moumahaki	315
Another Test	316
Bromus, Moumahaki No. 6, at the Ruakura Farm of Instruction	317
A Dangerous Potato-disease—	
Affected Haulm, showing the Curling of the Leaves	326
Affected Plant, showing Fungal Development near the Ground-level	327
Partially matured Tubers of Affected Plant	328
Affected Haulm, showing Development of Aerial Tuberlike Outgrowths	329
An Effective Machine for harvesting Maize	330
Chou Moellier Crop at the Ruakura Farm of Instruction	336
Seeds and their Identification—	
Sweet Vernal	337
Yorkshire Fog	338
Meadow-foxtail	339
Sweet Vernal shelled	339
Yorkshire Fog shelled	340
Spikelets of Yorkshire Fog and of Meadow-foxtail	340
Sheep grazing on Lucerne at Weraroa Experimental Farm	344
The Mangel Crop at Ruakura	345
New Wheats—	
Blé Nonette de Louvanne at Ruakura Farm of Instruction	346
Blé Petanielle Noir de Nice at Ruakura	348
Blé Petanielle Noir de Nice Heads	349
Marquis Wheat, grown at Ruakura	351
Blé de Miracle ou de Smyrne at Ruakura	352
Blé de Miracle ou de Smyrne, showing Branching of Heads	353
Blé de Pithiviers, grown at Ruakura	353
Wild Goose Spring Wheat, grown at Ruakura	354
Peculiar Development of Potato	358

Page
Dairy Bulls—
Cliffside Laddie 361
Grace's Netherland of Riverside 362
Pride of Egmont 365
Campanile's Sultan 365
Majesty's Fox 366
The Scene at the Official Opening of the New Zealand Pavilion at the Panama Pacific Exposition 389
Settling the New Zealand Hinterland. Frontispiece.
Horses for Military Purposes—
Packhorse 403
A Useful Type of Artillery Horse 404
Horses for Mounted Regiment 405, 407
New Zealand Mounted Men in Egypt 409
Lucerne: New Plants from Old Pieces of Dissevered Roots .. 413, 414
The Soya-bean Plots at Ruakura Farm of Instruction 419
Overgrafting 422
Section Drawings illustrating Glasshouse-construction 426
Fruit-grading for Export: Bad Fruit 431
The Clover-plots in the Nursery of the Ruakura Farm of Instruction .. 433
Seeds and their Identification—
Lucerne (*Medicago sativa*) 439
English Trefoil (*Medicago lupulina*) 439
Edge View of Lucerne, showing Hilum 440
Edge View of English Trefoil, showing Hilum 440
English Trefoil (*Medicago lupulina*) in Husk 441
Dodder (*Cuscuta epithymum*) 441
Dodder (*Cuscuta spp.*) 442
Dodder (*Cuscuta arvensis*) 442
Dodder (*Cuscuta suaveolens*) 442
Asiatic Star Thistle (*Centaurea picris*) 443
Mediterranean Rocket (*Eruca sativa*) 444
Our C.O.R. Purebred Dairy Cows—
Dutchland Colantha Mercedes 446
Johanna Fayne Lady 446
Magnet's Waif II 447
Neathead 447
Lane's Prince Albert Apple 450
The Dougherty Apple 451
Tomatoes—
Prince Borghese Red 454
King Humbert, or Best Naples Tomato 455
Haystacks at Ruakura Farm of Instruction 456
The New Zealand Pavilion at the Panama Pacific Exposition 457
The Young Peach Orchard at the Ruakura Farm of Instruction .. 486
Heaps of Rock Phosphate mined at Clarendon, Otago. Frontispiece.
Results of manuring Swede Turnips with Phosphates at Moumahaki Experimental Farm 497
Result of manuring Swede Turnips with Potash and Nitrogen 499
Quarrying Rock Phosphate at Milburn, Otago 505
Sections showing Phosphate-rock Deposits, &c. 507–509
Ten-months Root of Lucerne in Pumice Soil 514
Lucerne Hay in Marlborough 515
Cutting a Four-weeks Growth of Lucerne on Adams Bros.' Farm 516
The Second Crop of Lucerne from a Twenty-year-old Stand at Sunnyside Mental Hospital, Christchurch 517
Irrigation in New South Wales—
Irrigation of Young Deciduous Trees 521
Irrigating Carrots 522
Depasturing Sheep on Irrigated Lucerne 523
Three-year-old Vineyard in Early Spring 524
Honey packed for Export 526
A Well-placed Apiary 529
Fencing Illustrations 530
Fruiting-branch of Spiderwort. Half Natural Size 533
Plants of Spiderwort, showing Stiff Upright Growth as the Result of Cutting 534
Plant of Spiderwort, showing Stems: Those in Front eaten by Goats .. 535

Page

Semi-official Testing—
King Cole 540
Minnie of Glenweir 541
Bluebell of Glenweir 541
World's Butter-fat Record—
Guernsey Cow, Murne Cowan 543
Holstein Cow, Finderne Holingen Fayne 544
Seeds and their Identification—
Californian Thistle 548
Spear Thistle 548
Winged Thistle 549
Thistle-heads (Californian Spear and Winged) 549
Heads of Californian Thistle: Stages of Development 551
Common Sowthistle 553
Prickly Sowthistle 553
Field Sowthistle 555
Nipplewort 555